

Citrix Accessibility Conformance Report

VPAT® Version 2.3 (Revised)
Citrix Virtual Apps and Desktop: Studio

Citrix Systems, Inc. 851 West Cypress Creek Road Fort Lauderdale, FL 33309

Accessibility Partners, LLC
514 Hillsboro Drive
Silver Spring, MD 20902
www.AccessibilityPartners.com
(301) 717-7177

Citrix Virtual Apps and Desktops 1912: Installer

Name of Product/Version

Name of Product: Citrix Virtual Apps and Desktops: Installer

Version: 1912.1

Product Description

The product is the program used to install Citrix Virtual Apps and Desktops.

Notes

This Voluntary Product Accessibility Template (VPAT) provides guidance on the accessibility characteristics of **Citrix Virtual Apps and Desktops: Installer** as of **December 2, 2019**, and is only valid for the version and date it was tested.

Evaluation Methods Used

Assistive technology products used as part of testing included Freedom Scientific JAWS 2019, NVDA 2019.1, Freedom Scientific ZoomText 2019, The Paciello Group's Colour contrast Analyser 2.5, Microsoft Windows accessibility features, and keyboard-only control. Testing was performed on Windows Server 2016 and Windows 10.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	Yes

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software)	Supports	After the user tests the connection, an image of a green checkmark appears; a text alternative exists.
 602.3 (Support Docs) 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: 2017 Section 508 501 (Web)(Software) 602.3 (Support Docs) 	Not Applicable	There are no audio-only or video-only recordings in the application.
1.2.2 Captions (Prerecorded) (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Not Applicable	There are no audio-only or video-only recordings in the application.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Not Applicable	There are no audio-only or video-only recordings in the application.
1.3.1 Info and Relationships (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Partially Supports	Some user interface controls have programmatically determined names; some user interface controls (e.g., dropdown menus) do not have programmatically determined names.
1.3.2 Meaningful Sequence (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Partially Supports	Correct reading sequences can be programmatically determined. When the application detects a screen reader, the tab order is altered to include static text elements, resulting in multiple tab stops per control.

Criteria	Conformance Level	Remarks and Explanations
1.3.3 Sensory Characteristics (Level A)		
Also applies to:		Instructions and content do not rely solely on sensory
2017 Section 508	Supports	characteristics of components.
• 501 (Web)(Software)		characteristics of components.
602.3 (Support Docs)		
1.4.1 Use of Color (Level A)		
Also applies to:		Color is not used as the sole means of conveying
2017 Section 508	Supports	information.
• 501 (Web)(Software)		intermediation.
602.3 (Support Docs)		
1.4.2 Audio Control (Level A)		
Also applies to:	Not Applicable	No videos or audio recordings launch automatically when a window opens.
2017 Section 508		
• 501 (Web)(Software)		
602.3 (Support Docs)		
2.1.1 Keyboard (Level A)		
Also applies to:		Some functions of the application are keyboard
2017 Section 508	Partially Supports	operable. Some controls (e.g., tooltips, accordion controls) are not keyboard operable.
• 501 (Web)(Software)		
602.3 (Support Docs)		
2.1.2 No Keyboard Trap (Level A)		
Also applies to:		
2017 Section 508	Supports	No keyboard traps were observed.
• 501 (Web)(Software)		
602.3 (Support Docs)		
2.2.1 Timing Adjustable (Level A)		
Also applies to:		
2017 Section 508	Supports	The application does not require a timed response.
• 501 (Web)(Software)		
602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
2.2.2 Pause, Stop, Hide (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Not Applicable	The application does not contain automatically scrolling or updating content.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Supports	Flashing or blinking does not occur in the prohibited range.
 2.4.1 Bypass Blocks (Level A) Also applies to: 2017 Section 508 501 (Web)(Software) – Does not apply to non-web software 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	The application is non-web software.
2.4.2 Page Titled (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Supports	Windows throughout the application contain descriptive titles.
2.4.3 Focus Order (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Partially Supports	The application can be navigated in an order that preserves meaning and operability. When the application detects a screen reader, the tab order is altered to include static text elements, resulting in multiple tab stops per control.
2.4.4 Link Purpose (In Context) (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Supports	The purpose of each link can be determined from the link text together with context.

Criteria	Conformance Level	Remarks and Explanations
3.1.1 Language of Page (Level A) Also applies to:		
2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Supports	The default human language can be determined.
3.2.1 On Focus (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Supports	Gaining focus on components does not initiate a change of context.
3.2.2 On Input (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Supports	Changing the setting of user interface components does not automatically cause a change of context.
3.3.1 Error Identification (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Supports	Input errors are identified and error messages are displayed.
3.3.2 Labels or Instructions (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Supports	Labels are provided for input fields.
4.1.1 Parsing (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Not Applicable	The software compiles and runs.

Criteria	Conformance Level	Remarks and Explanations
4.1.2 Name, Role, Value (Level A) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Partially Supports	The application provides name, role, state and value information to assistive technology for some components. The application does not provide accurate name, role, state, and value information for some controls (e.g., dropdown menus, checkboxes, links).

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)		
Also applies to:		
2017 Section 508	Not Applicable	No time-based media present.
• 501 (Web)(Software)		
• 602.3 (Support Docs)		
1.2.5 Audio Description (Prerecorded) (Level AA)		
Also applies to:		
2017 Section 508	Not Applicable	No live presentations hosted.
• 501 (Web)(Software)		
• 602.3 (Support Docs)		
1.4.3 Contrast (Minimum) (Level AA)		
Also applies to:		
2017 Section 508	Supports	The application meets the required contrast ratio.
• 501 (Web)(Software)		
• 602.3 (Support Docs)		
1.4.4 Resize text (Level AA)		
Also applies to:		Text can be resized without loss of content or
2017 Section 508	Supports	functionality.
• 501 (Web)(Software)		Tunctionality.
• 602.3 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
1.4.5 Images of Text (Level AA)		
Also applies to:		
2017 Section 508	Supports	Images of text are not used.
• 501 (Web)(Software)		
602.3 (Support Docs)		
2.4.5 Multiple Ways (Level AA)		
Also applies to:		The installation wizard consists of a series of fixed
2017 Section 508	Supports	steps.
• 501 (Web)(Software) – Does not apply to non-web software		'
602.3 (Support Docs) – Does not apply to non-web docs		
2.4.6 Headings and Labels (Level AA)		
Also applies to:		
2017 Section 508	Supports	Headings and labels describe topic or purpose.
• 501 (Web)(Software)		
• 602.3 (Support Docs)		
2.4.7 Focus Visible (Level AA)		In some areas, focus is well defined.
Also applies to: 2017 Section 508	Dantially Cymranta	
• 501 (Web)(Software)	Partially Supports	Focus is not clearly visible when it lands on certain
• 602.3 (Support Docs)		controls (e.g., dropdown menus).
3.1.2 Language of Parts (Level AA)		
Also applies to:		
2017 Section 508	Supports	The default human language can be programmatically
• 501 (Web)(Software)	Supports	determined.
• 602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA)	I.	
Also applies to:		
2017 Section 508	Supports	Consistent navigation occurs throughout the
• 501 (Web)(Software) – Does not apply to non-web software	22,662,60	application.
602.3 (Support Docs) – Does not apply to non-web docs		

Criteria	Conformance Level	Remarks and Explanations
3.2.4 Consistent Identification (Level AA) Also applies to: 2017 Section 508 • 501 (Web)(Software) – Does not apply to non-web software	Supports	Consistent identification occurs throughout the application.
 602.3 (Support Docs) – Does not apply to non-web docs 3.3.3 Error Suggestion (Level AA) Also applies to: 2017 Section 508 501 (Web)(Software) 602.3 (Support Docs) 	Supports	Input errors are identified and error messages are displayed.
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: 2017 Section 508 • 501 (Web)(Software) • 602.3 (Support Docs)	Not Applicable	Application does not cause legal commitments or financial transactions to occur for the user.

Table 3: Success Criteria, Level AAA

Notes: Product was not tested to WCAG 2.0 AAA level

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	The application is partially keyboard operable.
		The application provides name, role, state and value information to assistive technology for some components.

Criteria	Conformance Level	Remarks and Explanations
		The application is partially keyboard operable.
202 2 With Limited Vision	Partially Cypnorts	The application provides name, role, state and value information to assistive technology for some components.
302.2 With Limited Vision	Partially Supports	The application can be used by users with
		low visual acuity when combined with
		screen magnification assistive technology.
		The application does not completely
		support Windows High Contrast settings.
302.3 Without Perception of Color	Supports	Color is not used as the sole means of conveying information.
302.4 Without Hearing	Supports	The application does not require user hearing.
302.5 With Limited Hearing	Supports	The application does not require user hearing.
302.6 Without Speech	Supports	Does not require user speech.
302.7 With Limited Manipulation	Partially Supports	The application is partially keyboard operable.
302.8 With Limited Reach and Strength	Partially Supports	The application is partially keyboard operable.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	

Chapter 4: Hardware

Notes: This product is not hardware and therefore this section is not applicable to the product.

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.0 section	See information in WCAG section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	The application is not an operating system (platform software).
502.2.2 No Disruption of Accessibility Features	Partially Supports	The application does not interfere with some operating system accessibility features. Windows High Contrast settings are partially supported.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	The application provides name, role, state and value information to assistive technology for some components. The application does not provide accurate name, role, state, and value information for some controls (e.g., dropdown menus, checkboxes, links).
502.3.2 Modification of Object Information	Supports	The application can be operated by assistive technology. Controls expose state information to screen readers.
502.3.3 Row, Column, and Headers	Not Applicable	The application does not contain data tables.
502.3.4 Values	Partially Supports	Assistive technology can operate the user interface to determine values. For some controls (e.g., dropdown menus), the value cannot be determined by assistive technology.
502.3.5 Modification of Values	Partially Supports	Assistive technology can operate the user interface in some areas. For some dropdown menus, the value cannot be modified programmatically.
502.3.6 Label Relationships	Partially Supports	The application provides label information to assistive technology for some components.

Criteria	Conformance Level	Remarks and Explanations
		Some components (e.g., dropdown menus) do not provide accessible name labels.
502.3.7 Hierarchical Relationships	Supports	Parent-child relationships can be determined programmatically.
502.3.8 Text	Supports	Assistive technology can operate the user interface to read text.
502.3.9 Modification of Text	Supports	Assistive technology can operate the user interface to modify text.
502.3.10 List of Actions	Supports	Objects provide their roles, and the actions may be programmatically determined.
502.3.11 Actions on Objects	Supports	Objects provide their roles and the actions may be programmatically determined.
502.3.12 Focus Cursor	Supports	Edit fields are compatible with assistive technology.
502.3.13 Modification of Focus Cursor	Supports	Edit fields are compatible with assistive technology.
502.3.14 Event Notification	Supports	Controls provide change in state information to screen readers.
502.4 Platform Accessibility Features	Not Applicable	The application is not an operating system.
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Partially Supports	Windows High Contrast settings are partially supported.
503.3 Alternative User Interfaces	Not Applicable	The application does not provide an alternative user interface and is not assistive technology.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	Multimedia is not used.
503.4.2 Audio Description Controls	Not Applicable	Multimedia is not used.
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See WCAG 2.0 section	See information in WCAG section

Criteria	Conformance Level	Remarks and Explanations
504.2.1 Preservation of Information Provided for Accessibility in	Not Applicable	Application is not an Authoring Tool.
Format Conversion	Not Applicable	
504.2.2 PDF Export	Not Applicable	Application is not an Authoring Tool.
504.3 Prompts	Not Applicable	Application is not an Authoring Tool.
504.4 Templates	Not Applicable	Application is not an Authoring Tool.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	The documentation is in electronic format and can be converted to
ooziz riocessionic, and compationic, reactives	Варрона	other formats.
602.3 Electronic Support Documentation	See WCAG 2.0 section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic	Supports	The documentation is in electronic format and can be converted to
Support Documentation	Заррога	other formats.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and	Does Not Support	The application does not provide documentation on accessibility and
Compatibility Features	Does Not Support	compatibility features.
603.3 Accommodation of Communication Needs	Supports	Support services accommodate end users with disabilities.

Legal Disclaimer (Company)

This Voluntary Product Accessibility Template (VPAT) provides guidance on the accessibility characteristics of **Citrix Virtual Apps and Desktops: Installer** as of **December 2, 2019**, and is only valid for the version and date it was tested.

This document is for informational purposes only, and Accessibility Partners makes no warranties, express or implied, in this document.